

CHART NO. 4

Number of male

C. opilio snow crab

\geq 4.0 inches width

caught per square mile

2000




Table 7. Summary of crab density by tow (# per square nmi) for Red King Crab, *Paralithodes camtschaticus*.

Station	Date	N. Lat.	W. Long	Fathoms	Males				Females			GRAND TOTAL
					Large	Medium	Small	Total	Large	Small	Total	
B08	5/29/00	55 20.4	163 26.3	27	168	0	0	168	0	0	0	168
C07	5/29/00	55 41.3	163 59.5	51	77	0	0	77	0	0	0	77
C08	5/29/00	55 39.9	163 24.8	42	643	0	0	643	80	0	80	723
C09	5/28/00	55 40.0	162 50.8	27	0	165	0	165	0	0	0	165
D06	5/29/00	56 0.2	164 36.2	48	84	84	0	167	0	0	0	167
D07	5/29/00	55 58.5	163 56.7	47	0	80	0	80	0	0	0	80
D08	5/29/00	55 59.9	163 24.3	46	232	155	0	387	232	0	232	619
D09	7/23/00	55 58.9	162 49.4	41	810	81	0	891	2591	0	2591	3481
D09	5/28/00	56 0.0	162 50.3	41	1538	405	81	2024	2672	0	2672	4695
D10	7/22/00	55 58.9	162 14.2	34	641	481	160	1281	12975	0	12975	14256
D10	5/28/00	55 59.6	162 15.9	37	1700	2186	243	4129	5748	0	5748	9877
E06	6/12/00	56 20.2	164 35.8	48	0	87	0	87	0	0	0	87
E07	6/12/00	56 21.2	163 58.9	45	827	0	0	827	0	0	0	827
E08	6/1/00	56 20.0	163 24.3	45	158	158	0	316	79	0	79	395
E09	6/1/00	56 20.1	162 38.6	42	571	457	0	1028	114	0	114	1142
E09	7/23/00	56 19.3	162 48.3	41	477	159	80	716	0	0	0	716
E10	7/22/00	56 18.4	162 12.3	39	630	3777	6610	11017	8420	2676	11096	22112
E10	5/28/00	56 20.2	162 11.8	42	1397	2949	621	4967	1707	0	1707	6674
E11	5/28/00	56 20.6	161 37.8	33	164	246	329	739	1643	0	1643	2382
E11	7/21/00	56 20.0	161 37.2	33	979	815	2936	4730	9785	326	10111	14841
E12	7/21/00	56 20.0	161 0.0	27	330	247	247	824	2556	247	2803	3627
E12	5/25/00	56 20.2	160 59.6	27	842	481	120	1444	1204	0	1204	2648
F07	6/12/00	56 39.3	163 57.0	39	332	0	0	332	0	0	0	332
F08	6/1/00	56 40.2	163 23.0	39	703	860	78	1641	0	0	0	1641
F09	6/1/00	56 39.8	162 46.6	37	496	910	248	1655	0	0	0	1655
F10	7/22/00	56 39.9	162 11.0	38	0	245	0	245	163	0	163	408
F10	5/28/00	56 40.3	162 10.5	37	457	685	0	1142	343	0	343	1485
F11	5/28/00	56 41.1	161 32.9	47	1305	489	163	1957	1468	0	1468	3425
F11	7/22/00	56 39.0	161 35.5	47	863	471	78	1412	235	0	235	1647
F12	7/21/00	56 39.9	160 58.2	37	650	162	1137	1950	3494	244	3737	5687
F12	5/25/00	56 40.4	160 59.4	34	82	164	2053	2300	986	411	1396	3696
F13	5/25/00	56 40.8	160 22.6	32	567	324	324	1214	1214	81	1295	2510
F13	7/21/00	56 40.2	160 22.4	31	161	81	403	645	2581	323	2904	3549

Table 7. Summary of crab density by tow (# per square nmi) for Red King Crab, *Paralithodes camtschaticus*.

Station	Date	N. Lat.	W. Long	Fathoms	Males				Females			GRAND TOTAL
					Large	Medium	Small	Total	Large	Small	Total	
F14	7/20/00	56 40.3	159 44.3	18	0	0	0	0	83	0	83	83
F14	5/24/00	56 41.1	159 43.7	18	409	0	0	409	982	0	982	1391
G07	6/12/00	56 59.5	163 54.2	35	0	80	0	80	0	0	0	80
G08	6/1/00	56 60.0	163 23.4	33	318	80	0	398	0	0	0	398
G09	6/1/00	56 59.5	162 47.3	31	163	245	489	897	0	0	0	897
G10	7/19/00	57 1.0	162 10.1	31	1108	1108	597	2813	85	256	341	3154
G10	5/27/00	57 0.1	162 9.8	31	638	399	160	1197	0	0	0	1197
G11	5/27/00	56 59.6	161 34.2	36	330	824	2556	3710	247	495	742	4452
G11	7/22/00	56 59.8	161 33.8	36	1158	248	83	1489	1903	0	1903	3392
G12	7/21/00	56 58.7	160 57.0	36	872	238	79	1189	792	0	792	1981
G12	5/25/00	57 0.2	160 57.3	32	81	487	162	731	812	81	894	1625
G13	5/25/00	56 59.6	160 20.5	32	638	559	319	1516	638	239	878	2394
G13	7/21/00	57 0.2	160 20.2	33	563	402	161	1125	1125	0	1125	2251
G14	7/20/00	57 1.1	159 42.2	30	237	395	158	790	1106	632	1737	2527
G14	5/24/00	56 59.6	159 43.7	29	703	547	313	1563	625	78	703	2266
G15	5/24/00	57 0.0	159 7.2	16	81	0	0	81	0	0	0	81
G20	6/23/00	56 59.9	169 32.9	31	1516	718	0	2235	479	0	479	2713
G21	6/28/00	57 9.8	169 52.6	26	838	0	0	838	0	0	0	838
G21	6/28/00	56 59.7	170 10.4	37	330	0	0	330	0	0	0	330
G21	6/29/00	56 50.1	169 52.7	38	81	81	0	162	0	0	0	162
G22	6/28/00	56 59.8	170 46.8	50	0	79	0	79	0	0	0	79
H08	6/1/00	57 20.1	163 23.6	27	77	77	0	155	0	0	0	155
H09	6/1/00	57 21.1	162 46.6	23	484	161	4033	4679	161	2097	2259	6937
H10	7/19/00	57 21.2	162 8.9	27	500	667	1667	2834	500	917	1417	4251
H10	5/27/00	57 20.3	162 8.8	27	408	408	245	1060	245	245	489	1549
H11	5/27/00	57 19.3	161 32.3	28	161	241	965	1366	322	965	1286	2652
H11	7/19/00	57 20.2	161 32.1	29	641	1121	961	2723	160	240	400	3124
H12	7/19/00	57 20.3	160 55.8	32	1768	965	1608	4340	2170	241	2411	6752
H12	5/25/00	57 19.9	160 55.6	33	0	0	479	479	479	399	878	1357
H13	5/25/00	57 20.2	160 17.8	32	162	81	81	324	324	243	567	891
H13	7/19/00	57 20.4	160 18.0	31	415	415	581	1412	1080	249	1329	2741
H14	7/20/00	57 20.6	159 40.1	29	0	154	77	230	538	0	538	768
H14	5/24/00	57 19.7	159 40.6	28	757	95	378	1229	189	0	189	1418

Table 7. Summary of crab density by tow (# per square nmi) for Red King Crab, *Paralithodes camtschaticus*.

Station	Date	N. Lat.	W. Long	Fathoms	Males				Females			GRAND TOTAL
					Large	Medium	Small	Total	Large	Small	Total	
H15	5/24/00	57 20.3	159 4.7	25	481	400	240	1121	2002	0	2002	3124
H15	7/20/00	57 20.2	159 4.7	25	80	0	0	80	0	0	0	80
H16	5/23/00	57 21.3	158 23.9	16	0	82	0	82	82	0	82	163
H20	6/23/00	57 20.3	169 36.0	33	479	399	80	958	1596	80	1676	2634
H21	6/28/00	57 20.5	170 11.9	28	77	0	0	77	0	0	0	77
H22	6/28/00	57 30.0	170 35.0	38	78	0	0	78	0	0	0	78
H22	6/28/00	57 20.0	170 50.9	43	243	0	0	243	0	0	0	243
I09	6/1/00	57 40.1	162 45.4	20	317	238	713	1268	555	713	1268	2536
I10	5/27/00	57 39.7	162 9.5	24	80	80	1527	1688	482	1286	1768	3456
I11	5/27/00	57 39.0	161 30.3	27	164	246	4419	4829	1146	2864	4010	8839
I12	5/25/00	57 39.5	160 52.4	29	0	250	250	500	250	125	375	875
I13	5/25/00	57 39.8	160 15.8	28	0	0	82	82	245	82	326	408
I14	7/20/00	57 40.4	159 37.4	26	0	0	317	317	79	0	79	396
I14	5/24/00	57 39.9	159 38.3	25	310	466	155	931	233	233	466	1397
I15	5/24/00	57 40.7	159 0.9	24	324	243	324	891	81	648	729	1619
I20	6/24/00	57 30.1	169 22.0	38	79	0	0	79	0	0	0	79
I21	6/28/00	57 49.9	169 57.8	38	232	0	0	232	0	0	0	232
I21	6/28/00	57 40.3	170 15.5	38	385	77	0	462	0	0	0	462
I21	6/28/00	57 30.2	169 59.8	36	1038	319	0	1357	798	0	798	2155
J09	6/2/00	58 0.3	162 44.6	20	151	151	301	602	376	75	452	1054
J10	5/27/00	57 59.8	162 6.9	19	247	82	412	742	82	247	330	1072
J11	5/27/00	57 59.9	161 29.1	28	82	0	326	408	326	82	408	815
J12	5/26/00	57 59.9	160 50.4	22	80	0	481	561	160	400	561	1121
J13	5/26/00	57 59.9	160 13.2	26	625	625	313	1563	234	313	547	2110
J14	5/24/00	57 59.7	159 35.2	21	160	80	160	400	160	80	240	641
J15	5/24/00	58 0.7	158 55.3	22	80	0	0	80	0	0	0	80
J16	5/23/00	57 59.7	158 20.7	16	0	0	89	89	0	89	89	177
K07	6/13/00	58 19.9	164 1.0	21	79	0	0	79	79	0	79	158
K09	6/2/00	58 20.3	162 43.4	14	165	0	0	165	165	0	165	331
K10	5/27/00	58 19.4	162 3.0	24	398	80	80	557	159	80	239	795
K11	5/27/00	58 13.1	161 32.9	20	325	81	0	406	162	0	162	569
K13	5/26/00	58 17.0	159 58.1	21	464	116	116	696	0	116	116	812
K14	5/26/00	58 19.8	159 32.2	12	0	77	0	77	0	0	0	77

Table 7. Summary of crab density by tow (# per square nmi) for Red King Crab, *Paralithodes camtschaticus*.

Station	Date	N. Lat.	W. Long	Fathoms	Males				Females			GRAND TOTAL	
					Large	Medium	Small	Total	Large	Small	Total		
L07	6/13/00	58 39.3	164	1.5	17	80	0	0	80	0	0	0	80
L08	6/2/00	58 40.0	163	21.1	15	80	80	0	160	80	0	80	240
M02	6/17/00	59 0.2	167	14.5	20	0	0	78	78	0	0	0	78
M03	6/17/00	59 0.3	166	35.4	17	80	0	0	80	80	0	80	159
M07	6/13/00	59 0.2	164	0.7	14	77	0	0	77	77	0	77	155
N02	6/17/00	59 20.1	167	16.8	16	0	0	0	0	232	0	232	232
N04	6/14/00	59 20.0	165	57.0	12	0	0	78	78	0	0	0	78
N05	6/14/00	59 19.9	165	19.7	10	0	158	0	158	0	0	0	158
N07	6/3/00	59 19.6	163	59.8	11	0	0	0	0	129	0	129	129
O01	6/18/00	59 39.2	167	56.9	18	80	0	0	80	0	0	0	80
O04	6/14/00	59 37.0	165	56.2	13	0	0	82	82	0	82	82	163
O18	6/18/00	59 39.9	168	37.0	20	77	0	0	77	0	0	0	77
Q18	6/18/00	60 20.0	168	41.2	18	158	0	0	158	158	0	158	317

NOTE: Minimum carapace sizes used are: Large Males > 6.5 in; Medium Males = 5.2 to 6.5 in; Large Females > 4.3 in.

Table 8A. Summary of crab density by tow (# per square nmi) for Pribilofs Blue King *Paralithodes platypus*.

Station	Date	N. Lat.	W. Long	Fathoms	Males				Females			GRAND TOTAL
					Large	Medium	Small	Total	Large	Small	Total	
F20	6/23/00	56 41.0	169 29.9	42	0	80	0	80	958	0	958	1038
G19	6/23/00	57 9.6	168 37.8	40	0	0	0	0	78	0	78	78
G20	6/23/00	56 50.1	169 18.0	42	0	0	0	0	160	0	160	160
G20	6/23/00	56 59.9	169 32.9	31	239	0	0	239	1437	0	1437	1676
G21	6/28/00	57 9.8	169 52.6	26	0	0	0	0	120	0	120	120
G21	6/29/00	56 50.1	169 52.7	38	162	0	0	162	162	0	162	325
H19	6/23/00	57 19.7	168 59.1	38	302	151	76	529	2190	0	2190	2719
H19	6/24/00	57 29.5	168 44.7	38	0	0	0	0	77	0	77	77
H20	6/23/00	57 10.1	169 19.0	37	0	80	0	80	239	0	239	319
H20	6/23/00	57 20.3	169 36.0	33	80	0	80	160	0	0	0	160
H21	6/28/00	57 20.5	170 11.9	28	230	77	0	307	0	0	0	307
H22	6/28/00	57 30.0	170 35.0	38	0	78	0	78	0	0	0	78
I07	6/13/00	57 40.4	163 56.5	26	0	0	82	82	0	0	0	82
I19	6/24/00	57 39.4	169 1.3	37	0	0	0	0	163	0	163	163
I19	6/24/00	57 49.7	168 43.9	38	0	0	0	0	79	0	79	79
I20	6/24/00	57 30.1	169 22.0	38	79	0	237	316	79	0	79	395
I21	6/28/00	57 49.9	169 57.8	38	155	0	0	155	0	0	0	155
I21	6/28/00	57 40.3	170 15.5	38	231	231	0	462	0	0	0	462
I21	6/28/00	57 30.2	169 59.8	36	479	319	160	958	80	0	80	1038
J19	6/24/00	57 59.8	169 3.1	37	82	0	0	82	0	0	0	82
J20	6/24/00	57 50.3	169 22.1	34	80	0	0	80	0	0	0	80
J21	6/27/00	57 59.9	170 20.1	39	78	0	0	78	0	0	0	78
K02	6/17/00	58 19.9	167 10.9	27	79	0	0	79	0	0	0	79
K19	6/24/00	58 19.7	169 6.8	36	84	0	0	84	0	0	0	84

NOTE: Minimum carapace sizes used are: Large Males > 6.5 in; Medium Males = 5.2 to 6.5 in; Large Females > 4.3 in.

Table 8B. Summary of crab density by tow (# per square nmi) for St. Matt. Blue King *Paralithodes platypus*.

Station	Date	N. Lat.	W. Long	Fathoms	Males				Females			GRAND TOTAL
					Large	Medium	Small	Total	Large	Small	Total	
N20	6/25/00	59 20.2	169 52.2	32	80	0	0	80	0	0	0	80
N26	7/13/00	59 29.9	173 30.3	54	86	0	86	171	0	0	0	171
O24	7/4/00	59 49.9	172 15.1	39	77	0	77	153	0	0	0	153
O24	7/4/00	59 39.9	172 34.0	44	80	0	0	80	0	0	0	80
O25	7/13/00	59 39.9	173 14.3	50	82	0	0	82	0	0	0	82
O26	7/13/00	59 40.1	173 52.1	55	82	0	0	82	0	0	0	82
P19	6/25/00	59 59.6	169 18.8	24	0	0	0	0	78	0	78	78
P23	7/4/00	59 59.4	171 59.2	34	294	0	147	441	0	147	147	588
P24	7/5/00	60 10.0	172 20.5	30	305	153	76	534	153	0	153	687
P24	7/4/00	59 50.2	172 54.6	41	0	84	0	84	0	0	0	84
P24	7/5/00	59 59.5	172 38.3	34	0	0	111	111	0	0	0	111
P25	7/12/00	60 0.6	173 18.8	38	0	0	195	195	0	0	0	195
P26	7/12/00	60 7.6	173 46.2	45	165	83	0	248	83	0	83	331
P26	7/12/00	59 50.0	173 34.9	50	239	0	0	239	0	0	0	239
P27	7/12/00	59 60.0	174 37.1	57	0	83	0	83	0	0	0	83
Q23	7/5/00	60 20.8	172 3.8	31	154	0	77	231	0	0	0	231
Q25	7/5/00	60 10.7	173 2.3	31	787	79	393	1259	79	157	236	1495
Q25	7/5/00	60 18.0	173 23.0	32	326	245	571	1142	0	0	0	1142
Q26	7/12/00	60 20.0	174 3.9	47	0	79	0	79	0	0	0	79
R23	7/5/00	60 39.8	172 6.3	32	0	0	82	82	0	0	0	82
R24	7/5/00	60 40.1	172 47.1	22	156	156	78	391	78	0	78	469
R25	7/5/00	60 40.4	173 26.4	33	82	82	82	246	82	0	82	327

NOTE: Minimum carapace sizes used are: Large Males > 5.5 in; Medium Males = 4.3 to 5.5 in; Large Females > 3.8 in.

Table 9. Summary of crab density by tow (# per square nmi) for Tanner Crab, *Chionoecetes bairdi*.

Station	Date	N. Lat.	W. Long	Fathoms	Males				Females			GRAND TOTAL
					Large	Medium	Small	Total	Large	Small	Total	
A02	6/10/00	55 0.0	166 57.9	83	0	0	2015	2015	0	6802	6802	8818
A03	6/10/00	55 0.0	166 20.7	77	0	232	4254	4486	1547	3558	5104	9590
A04	5/31/00	54 50.1	165 30.8	81	76	0	4244	4319	0	4471	4471	8790
A04	5/31/00	54 59.5	165 44.8	68	0	569	8694	9262	650	14056	14706	23968
A05	5/31/00	54 60.0	165 9.8	58	0	75	3151	3226	150	4426	4576	7802
B01	6/10/00	55 20.4	167 34.3	79	0	0	6554	6554	474	5528	6002	12556
B02	6/10/00	55 20.1	166 59.7	74	0	0	1015	1015	0	1100	1100	2115
B03	6/11/00	55 20.7	166 21.3	70	83	415	664	1163	1329	1412	2741	3903
B04	5/31/00	55 19.9	165 47.2	63	0	412	2968	3380	165	2226	2391	5771
B05	5/31/00	55 18.8	165 10.2	74	0	164	164	329	0	411	411	739
B06	5/29/00	55 20.6	164 32.6	53	2394	1676	958	5028	5986	3591	9577	14605
B07	5/29/00	55 19.6	164 1.8	40	240	1121	801	2162	80	240	320	2483
B08	5/29/00	55 20.4	163 26.3	27	1931	9405	9405	20742	2855	588	3443	24185
C01	6/22/00	55 39.8	167 35.8	72	0	0	391	391	0	78	78	469
C02	6/11/00	55 40.7	166 59.4	71	0	160	1442	1602	80	1362	1442	3044
C03	6/11/00	55 39.5	166 23.0	67	0	392	392	784	78	78	157	941
C04	5/31/00	55 40.6	165 48.0	62	0	491	4910	5401	246	1964	2210	7611
C05	5/31/00	55 40.6	165 11.2	56	79	79	238	396	79	475	555	951
C06	5/29/00	55 38.7	164 34.9	50	170	341	597	1108	256	426	682	1790
C07	5/29/00	55 41.3	163 59.5	51	1072	2909	2603	6583	6507	7808	14315	20898
C08	5/29/00	55 39.9	163 24.8	42	0	482	1608	2090	402	563	965	3054
C09	5/28/00	55 40.0	162 50.8	27	3392	3310	331	7033	83	0	83	7116
C18	6/22/00	55 39.9	168 11.3	71	0	0	1882	1882	0	982	982	2864
D01	6/22/00	55 59.0	167 37.5	72	0	0	154	154	0	384	384	538
D02	6/11/00	55 59.1	167 1.2	72	88	440	4396	4923	967	2374	3341	8264
D03	6/11/00	56 0.4	166 22.8	66	0	878	3512	4389	878	798	1676	6065
D04	5/31/00	56 0.0	165 47.0	56	0	632	1658	2290	158	1027	1185	3475
D05	5/31/00	56 0.6	165 10.8	50	162	325	650	1137	325	975	1300	2437
D06	5/29/00	56 0.2	164 36.2	48	0	502	251	753	335	837	1171	1924
D07	5/29/00	55 58.5	163 56.7	47	159	159	716	1034	239	398	636	1670
D08	5/29/00	55 59.9	163 24.3	46	232	619	2784	3635	619	2320	2939	6574
D09	7/23/00	55 58.9	162 49.4	41	971	729	729	2429	243	0	243	2672
D09	5/28/00	56 0.0	162 50.3	41	0	1214	324	1538	324	81	405	1943

Table 9. Summary of crab density by tow (# per square nmi) for Tanner Crab, *Chionoecetes bairdi*.

Station	Date	N. Lat.	W. Long	Fathoms	Males				Females			GRAND TOTAL
					Large	Medium	Small	Total	Large	Small	Total	
D10	7/22/00	55 58.9	162 14.2	34	0	0	80	80	0	80	80	160
D10	5/28/00	55 59.6	162 15.9	37	0	162	243	405	81	0	81	486
D18	6/22/00	56 0.1	168 13.2	79	0	243	7772	8015	0	10039	10039	18053
E01	6/22/00	56 20.8	167 39.4	68	0	0	1804	1804	0	1725	1725	3529
E02	6/16/00	56 20.3	167 2.1	60	0	623	5296	5919	467	2804	3271	9189
E03	6/16/00	56 20.6	166 25.2	55	0	329	3286	3614	246	5668	5914	9528
E04	6/15/00	56 20.0	165 48.2	48	0	469	2891	3360	156	1563	1719	5079
E05	6/15/00	56 19.2	165 11.8	45	164	493	2136	2793	246	1725	1971	4764
E06	6/12/00	56 20.2	164 35.8	48	87	1039	6232	7358	866	5194	6059	13417
E07	6/12/00	56 21.2	163 58.9	45	331	993	1076	2400	662	993	1655	4054
E08	6/1/00	56 20.0	163 24.3	45	158	474	474	1106	158	0	158	1263
E09	6/1/00	56 20.1	162 38.6	42	228	228	685	1142	457	0	457	1599
E09	7/23/00	56 19.3	162 48.3	41	239	636	1034	1909	80	239	318	2227
E10	7/22/00	56 18.4	162 12.3	39	0	157	1338	1495	0	0	0	1495
E10	5/28/00	56 20.2	162 11.8	42	0	310	310	621	0	0	0	621
E11	7/21/00	56 20.0	161 37.2	33	82	326	489	897	82	0	82	979
E12	7/21/00	56 20.0	161 0.0	27	0	82	0	82	0	0	0	82
E12	5/25/00	56 20.2	160 59.6	27	120	602	120	842	0	0	0	842
E18	6/22/00	56 19.7	168 15.0	81	83	331	10343	10757	0	9350	9350	20106
E19	6/23/00	56 20.0	168 52.2	66	0	0	2484	2484	73	3946	4019	6503
E20	6/23/00	56 20.6	169 28.3	75	0	0	2200	2200	0	2623	2623	4823
E21	6/29/00	56 20.0	170 4.0	57	0	152	912	1064	0	76	76	1141
E22	6/29/00	56 20.1	170 41.3	63	0	86	86	172	0	172	172	344
F01	6/22/00	56 38.9	167 40.2	56	0	162	1462	1625	0	1300	1300	2925
F02	6/16/00	56 40.2	167 3.9	50	0	239	5507	5746	559	5427	5986	11732
F03	6/16/00	56 40.6	166 26.0	44	0	326	2936	3262	82	2691	2772	6034
F04	6/15/00	56 39.8	165 50.8	40	77	309	6419	6806	387	6574	6961	13767
F05	6/15/00	56 39.2	165 13.3	39	80	804	3135	4019	402	1608	2009	6028
F06	6/12/00	56 40.0	164 35.9	39	0	341	2557	2898	85	511	597	3495
F07	6/12/00	56 39.3	163 57.0	39	83	747	1329	2159	83	166	249	2408
F08	6/1/00	56 40.2	163 23.0	39	0	391	469	860	234	78	313	1172
F09	6/1/00	56 39.8	162 46.6	37	0	331	414	745	0	0	0	745
F10	7/22/00	56 39.9	162 11.0	38	0	245	979	1223	82	0	82	1305

Table 9. Summary of crab density by tow (# per square nmi) for Tanner Crab, *Chionoecetes bairdi*.

Station	Date	N. Lat.	W. Long	Fathoms	Males				Females			GRAND TOTAL
					Large	Medium	Small	Total	Large	Small	Total	
F10	5/28/00	56 40.3	162 10.5	37	0	114	457	571	0	0	0	571
F11	5/28/00	56 41.1	161 32.9	47	0	489	326	815	163	0	163	979
F11	7/22/00	56 39.0	161 35.5	47	157	314	235	706	0	0	0	706
F12	7/21/00	56 39.9	160 58.2	37	0	487	81	569	0	0	0	569
F12	5/25/00	56 40.4	160 59.4	34	0	246	82	329	0	0	0	329
F13	5/25/00	56 40.8	160 22.6	32	162	0	243	405	162	324	486	891
F13	7/21/00	56 40.2	160 22.4	31	81	81	323	484	161	81	242	726
F18	6/22/00	56 40.1	168 17.4	56	0	0	1260	1260	0	588	588	1848
F19	6/23/00	56 41.8	168 54.5	53	0	160	481	641	0	160	160	801
F20	6/23/00	56 41.0	169 29.9	42	0	0	1437	1437	0	1437	1437	2873
F21	6/29/00	56 40.1	170 6.9	51	0	78	5626	5705	2484	5589	8074	13778
F22	6/29/00	56 49.9	170 27.9	53	0	491	13258	13749	573	7202	7775	21524
F22	6/29/00	56 39.9	170 43.8	59	0	469	3438	3907	0	1719	1719	5626
F23	7/16/00	56 39.8	171 22.4	144	84	0	84	167	0	84	84	251
F24	7/16/00	56 40.5	171 57.7	66	0	0	420	420	84	0	84	504
F25	7/20/00	56 39.7	172 34.2	72	0	0	239	239	0	0	0	239
G01	6/22/00	56 59.5	167 42.4	41	0	155	8770	8925	78	5743	5820	14745
G02	6/16/00	57 0.0	167 5.0	38	0	0	1902	1902	79	713	792	2694
G03	6/16/00	57 0.5	166 28.2	39	0	79	713	792	0	0	0	792
G04	6/15/00	56 59.8	165 51.4	37	0	158	1421	1579	0	869	869	2448
G05	6/15/00	56 59.0	165 13.6	37	80	80	1045	1206	0	161	161	1366
G06	6/12/00	57 0.1	164 36.0	34	0	167	251	418	84	0	84	502
G07	6/12/00	56 59.5	163 54.2	35	80	159	398	636	80	159	239	875
G08	6/1/00	56 60.0	163 23.4	33	0	159	159	318	80	0	80	398
G09	6/1/00	56 59.5	162 47.3	31	0	0	245	245	0	0	0	245
G10	7/19/00	57 1.0	162 10.1	31	85	170	170	426	0	0	0	426
G10	5/27/00	57 0.1	162 9.8	31	0	80	0	80	0	0	0	80
G11	5/27/00	56 59.6	161 34.2	36	0	247	82	330	0	0	0	330
G12	7/21/00	56 58.7	160 57.0	36	79	0	79	158	0	0	0	158
G12	5/25/00	57 0.2	160 57.3	32	0	81	0	81	0	81	81	162
G18	6/22/00	57 0.1	168 20.2	42	0	89	22971	23060	89	16509	16599	39659
G19	6/23/00	56 50.3	168 36.6	51	80	0	241	322	0	402	402	723
G19	6/23/00	56 59.8	168 56.8	42	0	0	0	0	0	159	159	159

Table 9. Summary of crab density by tow (# per square nmi) for Tanner Crab, *Chionoecetes bairdi*.

Station	Date	N. Lat.	W. Long	Fathoms	Males				Females			GRAND TOTAL	
					Large	Medium	Small	Total	Large	Small	Total		
G19	6/23/00	57 9.6	168	37.8	40	0	0	78	78	0	156	156	234
G20	6/23/00	56 50.1	169	18.0	42	0	80	0	80	0	0	0	80
G20	6/23/00	56 59.9	169	32.9	31	0	0	1836	1836	80	798	878	2713
G21	6/28/00	57 9.8	169	52.6	26	0	0	599	599	120	0	120	718
G21	6/28/00	56 59.7	170	10.4	37	0	495	1401	1896	82	330	412	2308
G21	6/29/00	56 50.1	169	52.7	38	0	81	2681	2762	325	1706	2031	4794
G22	6/28/00	56 59.8	170	46.8	50	0	475	4121	4596	555	2219	2774	7370
G23	7/16/00	56 59.6	171	23.9	57	0	77	1079	1156	0	1002	1002	2158
G24	7/16/00	57 0.3	172	1.9	62	0	0	87	87	0	87	87	173
G25	7/20/00	56 59.7	172	38.6	65	0	0	391	391	78	703	781	1172
G26	7/20/00	56 59.9	173	15.1	75	0	0	161	161	0	81	81	242
H01	6/19/00	57 19.5	167	44.3	38	0	0	153	153	0	230	230	383
H02	6/16/00	57 20.0	167	7.4	36	0	0	721	721	160	481	641	1362
H03	6/16/00	57 20.5	166	29.7	36	0	81	567	648	0	729	729	1376
H04	6/15/00	57 19.9	165	51.9	36	0	239	1829	2068	80	80	159	2227
H05	6/15/00	57 18.8	165	13.7	35	0	0	160	160	0	0	0	160
H06	6/12/00	57 20.1	164	37.1	34	81	81	486	648	0	81	81	729
H07	6/12/00	57 20.2	164	0.5	32	0	0	252	252	0	0	0	252
H08	6/1/00	57 20.1	163	23.6	27	0	0	232	232	77	0	77	309
H09	6/1/00	57 21.1	162	46.6	23	0	81	161	242	0	0	0	242
H10	5/27/00	57 20.3	162	8.8	27	0	0	163	163	0	0	0	163
H11	5/27/00	57 19.3	161	32.3	28	0	80	0	80	0	0	0	80
H12	5/25/00	57 19.9	160	55.6	33	0	0	0	0	80	0	80	80
H13	5/25/00	57 20.2	160	17.8	32	0	0	81	81	0	0	0	81
H18	6/19/00	57 20.2	168	22.0	38	0	0	99	99	0	297	297	397
H19	6/24/00	57 29.5	168	44.7	38	0	0	77	77	0	0	0	77
H20	6/23/00	57 10.1	169	19.0	37	0	80	160	239	0	80	80	319
H20	6/23/00	57 20.3	169	36.0	33	0	0	80	80	0	0	0	80
H22	6/28/00	57 30.0	170	35.0	38	0	0	706	706	0	392	392	1098
H22	6/28/00	57 20.0	170	50.9	43	0	324	0	324	243	162	405	729
H23	7/16/00	57 19.4	171	27.6	54	0	81	8662	8743	0	6525	6525	15269
H24	7/17/00	57 20.5	172	5.6	57	0	0	21148	21148	75	12003	12078	33226
H25	7/20/00	57 20.7	172	49.0	62	0	82	2365	2446	82	2691	2772	5219

Table 9. Summary of crab density by tow (# per square nmi) for Tanner Crab, *Chionoecetes bairdi*.

Station	Date	N. Lat.	W. Long	Fathoms	Males				Females			GRAND TOTAL
					Large	Medium	Small	Total	Large	Small	Total	
H26	7/20/00	57 19.0	173 19.9	65	0	0	403	403	0	81	81	484
I01	6/19/00	57 39.3	167 46.1	36	0	0	86	86	0	0	0	86
I02	6/16/00	57 40.2	167 8.3	35	0	0	398	398	0	0	0	398
I03	6/16/00	57 40.4	166 30.5	34	0	320	881	1201	0	80	80	1281
I04	6/15/00	57 39.8	165 53.1	33	160	559	1277	1995	0	160	160	2155
I05	6/15/00	57 39.5	165 14.9	32	160	479	718	1357	0	0	0	1357
I06	6/13/00	57 40.3	164 36.7	27	81	1625	2112	3819	0	0	0	3819
I07	6/13/00	57 40.4	163 56.5	26	0	245	82	326	0	82	82	408
I08	6/1/00	57 40.1	163 22.6	23	0	0	75	75	0	0	0	75
I12	5/25/00	57 39.5	160 52.4	29	0	0	0	0	125	0	125	125
I18	6/19/00	57 40.1	168 24.0	36	0	0	160	160	0	80	80	239
I19	6/24/00	57 39.4	169 1.3	37	0	0	163	163	0	408	408	571
I19	6/24/00	57 49.7	168 43.9	38	0	0	0	0	0	317	317	317
I20	6/24/00	57 40.1	169 39.1	37	0	0	82	82	0	0	0	82
I21	6/28/00	57 49.9	169 57.8	38	0	0	309	309	0	309	309	619
I21	6/28/00	57 40.3	170 15.5	38	0	154	1002	1156	0	462	462	1619
I21	6/28/00	57 30.2	169 59.8	36	0	0	319	319	0	239	239	559
I22	6/28/00	57 40.0	170 54.1	44	0	0	721	721	80	80	160	881
I23	7/14/00	57 39.9	171 31.5	52	0	0	322	322	0	402	402	723
I24	7/17/00	57 40.8	172 10.9	60	0	0	790	790	0	263	263	1053
I25	7/19/00	57 40.2	172 48.1	63	0	0	331	331	0	496	496	827
I26	7/19/00	57 40.0	173 24.7	78	0	0	76	76	0	76	76	153
J01	6/19/00	57 59.0	167 48.5	36	0	0	84	84	0	0	0	84
J03	6/16/00	58 0.6	166 31.7	32	0	80	638	718	80	0	80	798
J04	6/14/00	57 59.9	165 54.1	28	0	78	234	312	0	0	0	312
J05	6/14/00	58 0.2	165 15.0	26	0	80	0	80	0	0	0	80
J06	6/13/00	58 0.1	164 36.8	23	0	78	78	157	0	0	0	157
J08	6/2/00	58 0.6	163 22.8	22	0	0	77	77	0	0	0	77
J19	6/24/00	57 59.8	169 3.1	37	0	0	326	326	0	0	0	326
J20	6/24/00	57 50.3	169 22.1	34	0	0	80	80	0	0	0	80
J20	6/24/00	58 0.1	169 41.8	37	0	0	399	399	0	479	479	878
J21	6/27/00	57 59.9	170 20.1	39	0	0	392	392	0	157	157	549
J22	6/27/00	58 0.2	170 58.1	45	0	0	80	80	0	80	80	160

Table 9. Summary of crab density by tow (# per square nmi) for Tanner Crab, *Chionoecetes bairdi*.

Station	Date	N. Lat.	W. Long	Fathoms	Males				Females			GRAND TOTAL
					Large	Medium	Small	Total	Large	Small	Total	
J22	6/28/00	57 50.0	170 37.0	40	0	0	557	557	0	239	239	795
J23	7/14/00	57 60.0	171 35.9	51	0	0	0	0	0	161	161	161
J24	7/17/00	57 59.6	172 13.5	61	0	0	160	160	0	319	319	479
J25	7/19/00	57 59.9	172 51.9	58	0	0	79	79	0	158	158	238
J26	7/19/00	57 59.8	173 27.0	62	0	0	81	81	0	81	81	161
K01	6/19/00	58 19.6	167 50.4	31	0	80	160	240	0	0	0	240
K02	6/17/00	58 19.9	167 10.9	27	0	0	237	237	0	0	0	237
K18	6/19/00	58 20.0	168 28.1	34	78	0	0	78	0	0	0	78
K21	6/27/00	58 20.2	170 23.5	39	0	0	481	481	0	160	160	641
K23	7/14/00	58 20.1	171 39.2	50	0	0	331	331	0	0	0	331
K24	7/17/00	58 19.6	172 18.1	56	0	0	262	262	0	0	0	262
K25	7/17/00	58 20.1	172 52.8	64	0	0	612	612	0	842	842	1454
K26	7/19/00	58 19.9	173 34.1	61	0	0	810	810	81	891	971	1781
K27	7/18/00	58 21.8	174 18.8	93	0	0	5072	5072	0	8479	8479	13551
L01	6/19/00	58 40.0	167 52.1	24	0	0	80	80	0	0	0	80
L20	6/24/00	58 40.1	169 47.0	34	0	0	745	745	0	414	414	1158
L24	7/14/00	58 40.2	172 21.9	53	0	0	366	366	0	366	366	732
L25	7/14/00	58 40.1	172 59.7	59	0	0	553	553	0	0	0	553
L26	7/18/00	58 40.3	173 37.7	67	0	161	1125	1286	0	482	482	1768
L27	7/18/00	58 40.1	174 16.0	83	0	0	2120	2120	0	3017	3017	5137
L28	7/10/00	58 45.2	174 54.7	79	0	0	389	389	0	0	0	389
L29	7/10/00	58 40.0	175 33.1	71	0	87	606	692	0	866	866	1558
L30	7/10/00	58 40.0	176 11.1	74	0	0	256	256	0	85	85	341
L31	7/9/00	58 39.9	176 50.4	72	0	0	80	80	0	322	322	402
M24	7/4/00	59 0.2	172 26.2	51	0	0	318	318	0	0	0	318
M25	7/13/00	58 59.9	173 5.0	56	0	241	161	402	0	0	0	402
M26	7/18/00	58 59.8	173 42.9	62	0	80	15599	15679	320	12932	13252	28932
M27	7/18/00	58 59.3	174 22.1	67	0	0	3360	3360	0	2423	2423	5783
M28	7/10/00	59 0.3	175 1.5	68	0	155	2320	2475	0	2398	2398	4872
M29	7/9/00	59 0.8	175 44.3	71	0	0	1943	1943	0	1133	1133	3076
M30	7/9/00	58 59.9	176 18.2	71	0	0	1950	1950	81	1462	1544	3494
M31	7/9/00	59 0.3	176 56.9	72	0	0	241	241	0	241	241	482
M32	7/9/00	58 60.0	177 35.6	71	0	84	252	336	0	588	588	924

Table 9. Summary of crab density by tow (# per square nmi) for Tanner Crab, *Chionoecetes bairdi*.

Station	Date	N. Lat.	W. Long	Fathoms	Males				Females			GRAND TOTAL
					Large	Medium	Small	Total	Large	Small	Total	
N23	7/4/00	59 19.8	171 49.7	42	81	0	0	81	0	0	0	81
N25	7/13/00	59 20.0	173 9.4	53	0	0	254	254	0	0	0	254
N26	7/13/00	59 29.9	173 30.3	54	0	0	685	685	0	257	257	941
N26	7/13/00	59 20.1	173 48.1	57	0	0	238	238	0	79	79	317
N27	7/13/00	59 19.8	174 26.7	64	0	0	487	487	244	244	487	975
N28	7/10/00	59 19.8	175 6.7	71	0	83	3314	3398	0	3148	3148	6545
N29	7/9/00	59 20.6	175 45.0	72	0	78	157	235	0	0	0	235
N30	7/8/00	59 19.6	176 23.0	72	0	0	543	543	0	155	155	698
N31	7/9/00	59 19.8	177 4.5	79	0	0	477	477	80	159	239	716
O25	7/4/00	59 30.1	172 52.9	49	0	0	0	0	0	80	80	80
O25	7/13/00	59 39.9	173 14.3	50	0	0	246	246	0	82	82	327
O26	7/13/00	59 40.1	173 52.1	55	0	82	900	982	0	246	246	1228
O28	7/11/00	59 40.7	175 7.2	66	0	0	239	239	0	0	0	239
O29	7/9/00	59 40.6	175 51.7	72	0	82	245	326	0	163	163	489
O30	7/8/00	59 39.3	176 32.1	72	0	387	928	1315	0	309	309	1624
O31	7/9/00	59 40.0	177 7.6	90	0	80	1197	1277	239	1357	1596	2873
P19	6/25/00	59 59.6	169 18.8	24	0	78	0	78	0	0	0	78
P24	7/4/00	59 50.2	172 54.6	41	0	0	0	0	0	268	268	268
P25	7/12/00	60 0.6	173 18.8	38	0	0	97	97	0	708	708	805
P28	7/11/00	59 59.6	175 16.2	62	0	0	114	114	0	0	0	114
P31	7/8/00	60 0.0	177 12.8	72	0	414	414	827	0	0	0	827
Q29	7/10/00	60 20.0	176 2.8	65	0	78	0	78	0	0	0	78
Q30	7/8/00	60 19.9	176 43.3	73	0	370	0	370	0	0	0	370
Q31	7/8/00	60 19.8	177 23.1	78	80	0	0	80	0	80	80	159
R28	7/11/00	60 40.3	175 27.3	56	0	0	78	78	0	78	78	156
R32	7/8/00	60 39.5	178 11.2	85	0	0	784	784	235	1176	1412	2196
S28	7/10/00	61 0.1	175 33.3	54	0	0	82	82	0	82	82	163
Z05	5/31/00	54 41.0	165 9.1	43	0	162	405	567	81	648	729	1295

NOTE: Minimum carapace sizes used are: Large Males > 5.5 in; Medium Males = 4.3 to 5.5 in; Large Females > 3.4 in.

Table 10. Summary of crab density by tow (# per square nmi) for Snow Crab, *Chionoecetes opilio*.

Station	Date	N. Lat.	W. Long	Fathoms	Males				Females			GRAND TOTAL
					Large	Medium	Small	Total	Large	Small	Total	
A02	6/10/00	55 0.0	166 57.9	83	84	168	84	336	0	0	0	336
A03	6/10/00	55 0.0	166 20.7	77	464	464	0	928	0	0	0	928
A04	5/31/00	54 50.1	165 30.8	81	303	152	0	455	0	0	0	455
A04	5/31/00	54 59.5	165 44.8	68	81	81	325	487	0	0	0	487
A05	5/31/00	54 60.0	165 9.8	58	225	150	375	750	0	0	0	750
B01	6/10/00	55 20.4	167 34.3	79	79	79	158	316	0	0	0	316
B02	6/10/00	55 20.1	166 59.7	74	169	0	169	338	0	0	0	338
B03	6/11/00	55 20.7	166 21.3	70	166	166	498	830	0	83	83	914
B04	5/31/00	55 19.9	165 47.2	63	165	165	0	330	0	0	0	330
B05	5/31/00	55 18.8	165 10.2	74	821	246	329	1396	0	0	0	1396
B06	5/29/00	55 20.6	164 32.6	53	2634	718	479	3831	0	0	0	3831
B07	5/29/00	55 19.6	164 1.8	40	561	240	80	881	0	0	0	881
B08	5/29/00	55 20.4	163 26.3	27	84	252	168	504	0	0	0	504
C01	6/22/00	55 39.8	167 35.8	72	78	78	78	234	0	0	0	234
C02	6/11/00	55 40.7	166 59.4	71	0	80	0	80	0	0	0	80
C03	6/11/00	55 39.5	166 23.0	67	78	78	0	157	0	78	78	235
C04	5/31/00	55 40.6	165 48.0	62	0	164	82	246	0	0	0	246
C05	5/31/00	55 40.6	165 11.2	56	1030	238	158	1426	0	0	0	1426
C06	5/29/00	55 38.7	164 34.9	50	1193	341	426	1961	0	0	0	1961
C07	5/29/00	55 41.3	163 59.5	51	612	766	1301	2679	0	0	0	2679
C08	5/29/00	55 39.9	163 24.8	42	965	161	402	1527	0	0	0	1527
C09	5/28/00	55 40.0	162 50.8	27	414	165	0	579	0	0	0	579
C18	6/22/00	55 39.9	168 11.3	71	82	0	82	164	0	0	0	164
D01	6/22/00	55 59.0	167 37.5	72	538	77	77	691	0	77	77	768
D02	6/11/00	55 59.1	167 1.2	72	440	352	176	967	0	176	176	1143
D03	6/11/00	56 0.4	166 22.8	66	239	80	239	559	0	319	319	878
D04	5/31/00	56 0.0	165 47.0	56	316	237	79	632	0	0	0	632
D05	5/31/00	56 0.6	165 10.8	50	1787	406	325	2519	81	0	81	2600
D06	5/29/00	56 0.2	164 36.2	48	669	418	418	1506	0	0	0	1506
D07	5/29/00	55 58.5	163 56.7	47	716	239	398	1352	0	0	0	1352
D08	5/29/00	55 59.9	163 24.3	46	928	155	696	1779	0	0	0	1779
D09	7/23/00	55 58.9	162 49.4	41	162	162	0	324	0	0	0	324
D09	5/28/00	56 0.0	162 50.3	41	810	162	162	1133	0	0	0	1133

Table 10. Summary of crab density by tow (# per square nmi) for Snow Crab, *Chionoecetes opilio*.

Station	Date	N. Lat.	W. Long	Fathoms	Males				Females			GRAND TOTAL
					Large	Medium	Small	Total	Large	Small	Total	
D10	5/28/00	55 59.6	162 15.9	37	729	324	0	1052	0	0	0	1052
D18	6/22/00	56 0.1	168 13.2	79	243	0	0	243	0	0	0	243
E01	6/22/00	56 20.8	167 39.4	68	157	235	157	549	0	78	78	627
E02	6/16/00	56 20.3	167 2.1	60	312	156	312	779	78	234	312	1090
E03	6/16/00	56 20.6	166 25.2	55	657	329	246	1232	164	0	164	1396
E04	6/15/00	56 20.0	165 48.2	48	1407	391	234	2032	0	0	0	2032
E05	6/15/00	56 19.2	165 11.8	45	493	329	575	1396	0	0	0	1396
E06	6/12/00	56 20.2	164 35.8	48	346	260	519	1125	0	87	87	1212
E07	6/12/00	56 21.2	163 58.9	45	331	496	579	1407	0	0	0	1407
E08	6/1/00	56 20.0	163 24.3	45	158	237	237	632	0	0	0	632
E09	6/1/00	56 20.1	162 38.6	42	571	228	457	1257	0	0	0	1257
E09	7/23/00	56 19.3	162 48.3	41	557	239	80	875	0	0	0	875
E10	7/22/00	56 18.4	162 12.3	39	79	79	0	157	0	0	0	157
E10	5/28/00	56 20.2	162 11.8	42	155	466	155	776	0	0	0	776
E11	5/28/00	56 20.6	161 37.8	33	0	82	0	82	0	0	0	82
E18	6/22/00	56 19.7	168 15.0	81	83	0	0	83	0	83	83	165
E19	6/23/00	56 20.0	168 52.2	66	73	0	0	73	73	0	73	146
E21	6/29/00	56 20.0	170 4.0	57	228	380	456	1064	0	76	76	1141
E22	6/29/00	56 20.1	170 41.3	63	258	0	0	258	0	0	0	258
F01	6/22/00	56 38.9	167 40.2	56	731	325	650	1706	0	162	162	1869
F02	6/16/00	56 40.2	167 3.9	50	878	319	399	1596	0	319	319	1915
F03	6/16/00	56 40.6	166 26.0	44	489	163	245	897	0	0	0	897
F04	6/15/00	56 39.8	165 50.8	40	309	464	541	1315	0	0	0	1315
F05	6/15/00	56 39.2	165 13.3	39	241	80	563	884	0	0	0	884
F06	6/12/00	56 40.0	164 35.9	39	852	341	341	1534	0	0	0	1534
F07	6/12/00	56 39.3	163 57.0	39	249	415	1163	1827	0	0	0	1827
F08	6/1/00	56 40.2	163 23.0	39	156	391	156	703	0	0	0	703
F09	6/1/00	56 39.8	162 46.6	37	414	414	331	1158	0	0	0	1158
F10	7/22/00	56 39.9	162 11.0	38	245	0	163	408	0	0	0	408
F11	5/28/00	56 41.1	161 32.9	47	163	326	0	489	0	0	0	489
F11	7/22/00	56 39.0	161 35.5	47	784	471	0	1255	0	0	0	1255
F12	7/21/00	56 39.9	160 58.2	37	0	81	0	81	0	0	0	81
F12	5/25/00	56 40.4	160 59.4	34	82	0	0	82	0	0	0	82

Table 10. Summary of crab density by tow (# per square nmi) for Snow Crab, *Chionoecetes opilio*.

Station	Date	N. Lat.	W. Long	Fathoms	Males				Females			GRAND TOTAL
					Large	Medium	Small	Total	Large	Small	Total	
F18	6/22/00	56 40.1	168 17.4	56	672	336	84	1092	0	0	0	1092
F19	6/23/00	56 41.8	168 54.5	53	1281	240	240	1762	0	80	80	1842
F20	6/23/00	56 41.0	169 29.9	42	319	239	160	718	0	80	80	798
F21	6/29/00	56 40.1	170 6.9	51	625	938	547	2110	78	0	78	2188
F22	6/29/00	56 49.9	170 27.9	53	818	900	982	2701	82	82	164	2864
F22	6/29/00	56 39.9	170 43.8	59	938	0	469	1407	0	0	0	1407
F23	7/16/00	56 39.8	171 22.4	144	1422	837	251	2510	753	0	753	3263
F24	7/16/00	56 40.5	171 57.7	66	252	168	0	420	0	0	0	420
F25	7/20/00	56 39.7	172 34.2	72	398	80	0	477	0	0	0	477
G01	6/22/00	56 59.5	167 42.4	41	776	854	3182	4812	0	1086	1086	5898
G02	6/16/00	57 0.0	167 5.0	38	713	792	475	1981	0	0	0	1981
G03	6/16/00	57 0.5	166 28.2	39	396	634	238	1268	0	79	79	1347
G04	6/15/00	56 59.8	165 51.4	37	474	869	1185	2527	158	0	158	2685
G05	6/15/00	56 59.0	165 13.6	37	482	402	402	1286	0	0	0	1286
G06	6/12/00	57 0.1	164 36.0	34	586	669	586	1841	0	0	0	1841
G07	6/12/00	56 59.5	163 54.2	35	636	477	795	1909	159	159	318	2227
G08	6/1/00	56 60.0	163 23.4	33	159	159	80	398	0	0	0	398
G09	6/1/00	56 59.5	162 47.3	31	82	163	0	245	0	0	0	245
G10	5/27/00	57 0.1	162 9.8	31	80	80	80	239	0	0	0	239
G11	5/27/00	56 59.6	161 34.2	36	0	330	0	330	0	0	0	330
G11	7/22/00	56 59.8	161 33.8	36	331	0	0	331	0	0	0	331
G12	5/25/00	57 0.2	160 57.3	32	0	81	0	81	0	0	0	81
G13	7/21/00	57 0.2	160 20.2	33	0	80	0	80	0	0	0	80
G14	5/24/00	56 59.6	159 43.7	29	0	78	0	78	0	0	0	78
G18	6/22/00	57 0.1	168 20.2	42	447	536	3662	4644	89	1965	2054	6698
G19	6/23/00	56 50.3	168 36.6	51	1045	80	241	1366	0	0	0	1366
G19	6/23/00	56 59.8	168 56.8	42	954	398	716	2068	80	80	159	2227
G19	6/23/00	57 9.6	168 37.8	40	389	312	779	1480	78	78	156	1635
G20	6/23/00	56 50.1	169 18.0	42	240	160	80	481	0	80	80	561
G20	6/23/00	56 59.9	169 32.9	31	718	80	239	1038	0	80	80	1117
G21	6/28/00	57 9.8	169 52.6	26	0	0	120	120	0	0	0	120
G21	6/28/00	56 59.7	170 10.4	37	165	0	0	165	0	0	0	165
G21	6/29/00	56 50.1	169 52.7	38	325	162	325	812	0	0	0	812

Table 10. Summary of crab density by tow (# per square nmi) for Snow Crab, *Chionoecetes opilio*.

Station	Date	N. Lat.	W. Long	Fathoms	Males				Females			GRAND TOTAL
					Large	Medium	Small	Total	Large	Small	Total	
G22	6/28/00	56 59.8	170 46.8	50	951	555	634	2140	79	79	158	2298
G23	7/16/00	56 59.6	171 23.9	57	617	308	0	925	1927	0	1927	2852
G24	7/16/00	57 0.3	172 1.9	62	260	87	0	346	0	0	0	346
G25	7/20/00	56 59.7	172 38.6	65	625	78	78	781	0	0	0	781
G26	7/20/00	56 59.9	173 15.1	75	887	323	0	1210	0	0	0	1210
H01	6/19/00	57 19.5	167 44.3	38	77	0	153	230	0	77	77	306
H02	6/16/00	57 20.0	167 7.4	36	481	240	1201	1922	240	0	240	2162
H03	6/16/00	57 20.5	166 29.7	36	162	1052	810	2024	0	0	0	2024
H04	6/15/00	57 19.9	165 51.9	36	557	795	3102	4453	1750	0	1750	6203
H05	6/15/00	57 18.8	165 13.7	35	319	638	1357	2314	160	0	160	2474
H06	6/12/00	57 20.1	164 37.1	34	81	891	1457	2429	324	0	324	2753
H07	6/12/00	57 20.2	164 0.5	32	0	252	420	672	0	0	0	672
H08	6/1/00	57 20.1	163 23.6	27	77	0	155	232	0	0	0	232
H10	5/27/00	57 20.3	162 8.8	27	82	0	0	82	0	0	0	82
H11	7/19/00	57 20.2	161 32.1	29	80	0	0	80	0	0	0	80
H18	6/19/00	57 20.2	168 22.0	38	397	198	297	892	0	0	0	892
H19	6/23/00	57 19.7	168 59.1	38	0	151	151	302	0	0	0	302
H19	6/24/00	57 29.5	168 44.7	38	232	77	155	464	0	0	0	464
H20	6/23/00	57 10.1	169 19.0	37	239	559	958	1756	0	80	80	1836
H20	6/23/00	57 20.3	169 36.0	33	80	80	80	239	160	0	160	399
H21	6/28/00	57 20.5	170 11.9	28	0	0	77	77	77	0	77	154
H22	6/28/00	57 30.0	170 35.0	38	235	78	0	314	78	0	78	392
H22	6/28/00	57 20.0	170 50.9	43	324	81	0	405	0	162	162	567
H23	7/16/00	57 19.4	171 27.6	54	567	324	0	891	567	324	891	1781
H24	7/17/00	57 20.5	172 5.6	57	675	675	533	1884	0	0	0	1884
H26	7/20/00	57 19.0	173 19.9	65	242	0	0	242	0	0	0	242
I01	6/19/00	57 39.3	167 46.1	36	171	257	171	599	86	0	86	685
I02	6/16/00	57 40.2	167 8.3	35	398	557	1591	2545	1909	477	2386	4931
I03	6/16/00	57 40.4	166 30.5	34	80	1281	1842	3204	1121	80	1201	4405
I04	6/15/00	57 39.8	165 53.1	33	399	3772	12077	16248	5188	958	6145	22394
I05	6/15/00	57 39.5	165 14.9	32	559	878	3512	4948	1277	319	1596	6544
I06	6/13/00	57 40.3	164 36.7	27	81	650	2275	3006	487	81	569	3575
I08	6/1/00	57 40.1	163 22.6	23	0	75	0	75	0	0	0	75

Table 10. Summary of crab density by tow (# per square nmi) for Snow Crab, *Chionoecetes opilio*.

Station	Date	N. Lat.	W. Long	Fathoms	Males				Females			GRAND TOTAL
					Large	Medium	Small	Total	Large	Small	Total	
I18	6/19/00	57 40.1	168 24.0	36	160	80	319	559	0	0	0	559
I19	6/24/00	57 39.4	169 1.3	37	0	163	1060	1223	0	1142	1142	2365
I19	6/24/00	57 49.7	168 43.9	38	158	158	3645	3962	475	4438	4913	8876
I20	6/24/00	57 30.1	169 22.0	38	316	395	316	1027	79	316	395	1421
I20	6/24/00	57 40.1	169 39.1	37	0	163	652	815	0	652	652	1468
I21	6/28/00	57 49.9	169 57.8	38	77	464	1237	1779	0	541	541	2320
I21	6/28/00	57 40.3	170 15.5	38	462	462	694	1619	77	694	771	2389
I21	6/28/00	57 30.2	169 59.8	36	239	80	319	638	80	160	239	878
I22	6/28/00	57 40.0	170 54.1	44	481	320	240	1041	240	400	641	1682
I23	7/14/00	57 39.9	171 31.5	52	1447	402	161	2009	322	0	322	2331
I24	7/17/00	57 40.8	172 10.9	60	658	132	0	790	0	0	0	790
I25	7/19/00	57 40.2	172 48.1	63	496	165	0	662	0	0	0	662
J01	6/19/00	57 59.0	167 48.5	36	84	0	168	252	0	0	0	252
J02	6/17/00	57 59.8	167 10.5	33	158	395	474	1027	158	79	237	1263
J03	6/16/00	58 0.6	166 31.7	32	718	2793	3432	6943	1038	958	1995	8939
J04	6/14/00	57 59.9	165 54.1	28	234	1869	2492	4595	857	156	1012	5607
J05	6/14/00	58 0.2	165 15.0	26	80	0	80	161	0	0	0	161
J06	6/13/00	58 0.1	164 36.8	23	0	235	157	392	78	0	78	471
J18	6/19/00	58 0.1	168 26.0	36	0	191	286	477	0	95	95	572
J19	6/24/00	57 59.8	169 3.1	37	0	489	2691	3180	0	3506	3506	6687
J20	6/24/00	57 50.3	169 22.1	34	0	0	80	80	0	0	0	80
J20	6/24/00	58 0.1	169 41.8	37	160	160	2634	2953	160	3911	4070	7023
J21	6/27/00	57 59.9	170 20.1	39	235	471	157	863	78	314	392	1255
J22	6/27/00	58 0.2	170 58.1	45	399	798	319	1516	80	0	80	1596
J22	6/28/00	57 50.0	170 37.0	40	795	1272	716	2783	159	159	318	3102
J23	7/14/00	57 60.0	171 35.9	51	1049	887	242	2178	807	81	887	3065
J24	7/17/00	57 59.6	172 13.5	61	319	0	160	479	0	0	0	479
J25	7/19/00	57 59.9	172 51.9	58	79	0	0	79	0	0	0	79
J26	7/19/00	57 59.8	173 27.0	62	1210	81	0	1291	0	0	0	1291
K01	6/19/00	58 19.6	167 50.4	31	240	400	721	1362	160	80	240	1602
K02	6/17/00	58 19.9	167 10.9	27	474	7875	14087	22436	2290	158	2448	24884
K03	6/17/00	58 20.3	166 32.9	24	79	79	79	237	0	79	79	316
K04	6/14/00	58 19.9	165 55.4	22	0	0	471	471	0	157	157	627

Table 10. Summary of crab density by tow (# per square nmi) for Snow Crab, *Chionoecetes opilio*.

Station	Date	N. Lat.	W. Long	Fathoms	Males				Females			GRAND TOTAL	
					Large	Medium	Small	Total	Large	Small	Total		
K18	6/19/00	58 20.0	168	28.1	34	0	78	863	941	314	157	471	1412
K19	6/24/00	58 19.7	169	6.8	36	0	84	167	251	0	335	335	586
K20	6/24/00	58 20.3	169	44.0	37	163	163	734	1060	0	1875	1875	2936
K21	6/27/00	58 20.2	170	23.5	39	240	641	1522	2403	160	1922	2082	4485
K22	6/27/00	58 20.0	171	1.5	44	475	713	396	1585	317	158	475	2060
K23	7/14/00	58 20.1	171	39.2	50	496	414	248	1158	579	496	1076	2234
K24	7/17/00	58 19.6	172	18.1	56	4448	18579	63811	86838	2080400	462311	2542711	2629549
K25	7/17/00	58 20.1	172	52.8	64	2832	1684	1301	5818	6354	536	6890	12707
K26	7/19/00	58 19.9	173	34.1	61	1457	567	81	2105	81	81	162	2267
L01	6/19/00	58 40.0	167	52.1	24	402	322	1125	1849	241	80	322	2170
L02	6/17/00	58 39.8	167	13.1	22	0	158	238	396	0	79	79	475
L18	6/19/00	58 39.6	168	29.9	27	747	997	4152	5896	997	332	1329	7225
L19	6/24/00	58 40.0	169	8.6	32	571	163	1223	1957	163	489	652	2609
L20	6/24/00	58 40.1	169	47.0	34	165	910	6288	7364	83	2069	2151	9515
L21	6/27/00	58 40.2	170	26.1	38	891	9672	6109	16671	8051	3294	11345	28016
L22	6/26/00	58 40.0	171	5.0	44	561	2403	1201	4165	1442	160	1602	5767
L23	7/14/00	58 40.1	171	43.5	49	243	4866	1581	6691	21121	16281	37402	44093
L24	7/14/00	58 40.2	172	21.9	53	915	915	732	2562	3477	2653	6130	8691
L25	7/14/00	58 40.1	172	59.7	59	1027	2132	790	3948	50111	23128	73240	77188
L26	7/18/00	58 40.3	173	37.7	67	2411	1125	965	4501	0	0	0	4501
L28	7/10/00	58 45.2	174	54.7	79	0	0	0	0	0	312	312	312
M01	6/18/00	58 59.6	167	53.7	21	79	0	79	157	0	0	0	157
M02	6/17/00	59 0.2	167	14.5	20	156	0	0	156	0	0	0	156
M18	6/18/00	58 59.8	168	32.2	24	1106	158	1263	2527	79	395	474	3001
M19	6/25/00	58 59.3	169	10.4	28	1533	726	968	3227	0	242	242	3469
M20	6/25/00	59 0.1	169	50.6	33	162	0	1052	1214	81	1376	1457	2672
M21	6/26/00	59 0.1	170	29.0	37	1680	6634	4367	12681	756	84	840	13520
M22	6/26/00	59 0.0	171	7.9	42	316	2290	1185	3790	474	237	711	4501
M23	7/4/00	59 2.6	171	47.6	45	82	8491	7667	16241	577	330	907	17147
M24	7/4/00	59 0.2	172	26.2	51	80	477	1113	1670	239	636	875	2545
M25	7/13/00	58 59.9	173	5.0	56	2974	4421	2170	9565	9187	2996	12183	21748
M26	7/18/00	58 59.8	173	42.9	62	1842	1922	561	4325	961	0	961	5286
M27	7/18/00	58 59.3	174	22.1	67	156	78	0	234	0	0	0	234

Table 10. Summary of crab density by tow (# per square nmi) for Snow Crab, *Chionoecetes opilio*.

Station	Date	N. Lat.	W. Long	Fathoms	Males				Females			GRAND TOTAL
					Large	Medium	Small	Total	Large	Small	Total	
M29	7/9/00	59 0.8	175 44.3	71	162	81	243	486	0	0	0	486
M31	7/9/00	59 0.3	176 56.9	72	0	0	0	0	0	161	161	161
N18	6/18/00	59 19.8	168 34.1	21	0	0	863	863	0	314	314	1176
N19	6/25/00	59 19.4	169 14.2	26	1241	165	7199	8605	331	827	1158	9764
N20	6/25/00	59 20.2	169 52.2	32	3831	4494	172725	181049	58792	15172	73964	255013
N21	6/26/00	59 19.3	170 32.0	35	7855	6546	10474	24875	3286	1068	4353	29228
N22	6/26/00	59 20.0	171 11.2	39	721	3925	3764	8410	3684	400	4085	12494
N23	7/4/00	59 19.8	171 49.7	42	161	4033	7825	12019	37097	657	37754	49773
N24	7/4/00	59 20.2	172 29.9	46	157	1731	1259	3148	0	630	630	3777
N25	7/13/00	59 20.0	173 9.4	53	1526	4323	1399	7248	11698	3942	15640	22887
N26	7/13/00	59 29.9	173 30.3	54	171	428	3081	3680	86	6332	6418	10098
N26	7/13/00	59 20.1	173 48.1	57	79	396	238	713	0	475	475	1189
N27	7/13/00	59 19.8	174 26.7	64	162	569	325	1056	0	812	812	1869
N28	7/10/00	59 19.8	175 6.7	71	3834	500	4579	8914	83	4795	4878	13792
N29	7/9/00	59 20.6	175 45.0	72	314	157	0	471	78	0	78	549
N30	7/8/00	59 19.6	176 23.0	72	310	388	78	776	0	155	155	931
N31	7/9/00	59 19.8	177 4.5	79	0	239	80	318	0	80	80	398
O18	6/18/00	59 39.9	168 37.0	20	0	0	387	387	0	0	0	387
O19	6/25/00	59 39.7	169 16.3	25	310	0	1863	2173	0	388	388	2561
O20	6/25/00	59 40.3	169 55.1	29	701	857	5062	6619	1012	1012	2025	8644
O21	6/26/00	59 40.3	170 35.5	34	431	2442	13932	16804	5512	6647	12159	28963
O22	6/26/00	59 39.8	171 15.2	37	579	4977	36231	41787	82528	10765	93293	135080
O23	7/4/00	59 38.2	171 53.4	40	2039	4313	8234	14586	3294	314	3607	18193
O24	7/4/00	59 49.9	172 15.1	39	536	842	3215	4593	27627	982	28609	33202
O24	7/4/00	59 39.9	172 34.0	44	481	3684	8570	12735	2883	1281	4165	16899
O25	7/4/00	59 30.1	172 52.9	49	482	3054	2572	6109	402	1849	2251	8359
O25	7/13/00	59 39.9	173 14.3	50	327	82	1228	1637	82	818	900	2537
O26	7/13/00	59 40.1	173 52.1	55	818	1719	900	3437	655	1719	2373	5811
O27	7/13/00	59 40.3	174 27.0	61	2716	3182	2794	8692	4656	854	5510	14202
O28	7/11/00	59 40.7	175 7.2	66	3879	9135	8134	21149	193050	144067	337118	358266
O29	7/9/00	59 40.6	175 51.7	72	3506	1875	979	6360	163	82	245	6605
O30	7/8/00	59 39.3	176 32.1	72	155	464	232	851	0	0	0	851
O31	7/9/00	59 40.0	177 7.6	90	160	239	160	559	0	0	0	559

Table 10. Summary of crab density by tow (# per square nmi) for Snow Crab, *Chionoecetes opilio*.

Station	Date	N. Lat.	W. Long	Fathoms	Males				Females			GRAND TOTAL
					Large	Medium	Small	Total	Large	Small	Total	
P18	6/18/00	60 0.3	168 39.1	19	0	0	2639	2639	155	78	233	2871
P19	6/25/00	59 59.6	169 18.8	24	0	0	118438	118438	48910	23993	72903	191341
P20	6/25/00	60 0.2	169 57.9	28	82	411	39492	39985	40709	14063	54772	94758
P21	6/26/00	60 0.2	170 38.1	33	398	1034	42503	43935	62910	15362	78272	122207
P22	6/26/00	59 59.9	171 18.3	36	481	1025	15610	17115	44298	4259	48557	65672
P23	7/4/00	59 59.4	171 59.2	34	0	147	588	735	2059	147	2206	2942
P24	7/5/00	60 10.0	172 20.5	30	0	0	1602	1602	229	305	534	2136
P24	7/4/00	59 50.2	172 54.6	41	588	756	5040	6384	620	12318	12937	19321
P24	7/5/00	59 59.5	172 38.3	34	2106	333	21917	24356	4571	12570	17142	41498
P25	7/12/00	60 0.6	173 18.8	38	974	2046	27938	30959	53784	108277	162061	193019
P26	7/12/00	59 50.4	174 13.7	56	739	1396	657	2793	164	82	246	3039
P26	7/12/00	60 7.6	173 46.2	45	2210	9879	7669	19758	745	496	1241	20999
P26	7/12/00	60 0.1	173 56.9	51	555	2853	2219	5626	396	951	1347	6974
P26	7/12/00	59 50.0	173 34.9	50	239	2942	3102	6283	0	239	239	6521
P27	7/12/00	59 60.0	174 37.1	57	2317	4634	3144	10095	5047	2400	7447	17541
P28	7/11/00	59 59.6	175 16.2	62	7338	10313	7536	25187	26276	7357	33633	58821
P29	7/9/00	60 0.6	175 55.7	68	906	604	0	1510	378	0	378	1888
P30	7/8/00	60 0.4	176 42.9	75	21763	19098	8439	49299	207801	73146	280946	330245
P31	7/8/00	60 0.0	177 12.8	72	3061	5213	1655	9929	20886	15972	36858	46787
P32	7/8/00	60 0.2	177 56.4	75	255	255	255	764	849	85	934	1699
Q18	6/18/00	60 20.0	168 41.2	18	0	0	396	396	79	0	79	475
Q19	6/25/00	60 19.8	169 18.9	22	0	996	162347	163343	16931	48801	65732	229075
Q20	6/25/00	60 20.2	170 1.9	27	0	327	41741	42069	99380	44819	144199	186268
Q21	6/26/00	60 19.7	170 39.9	32	143	713	17110	17966	96376	4819	101195	119160
Q22	6/26/00	60 19.5	171 22.2	34	78	1558	16354	17989	17181	2227	19409	37398
Q23	7/5/00	60 20.8	172 3.8	31	0	0	77	77	0	0	0	77
Q25	7/5/00	60 10.7	173 2.3	31	0	79	551	630	157	551	708	1338
Q25	7/5/00	60 18.0	173 23.0	32	82	0	4159	4240	815	4566	5382	9622
Q26	7/12/00	60 20.0	174 3.9	47	451	4959	24046	29456	3384	1023	4407	33863
Q27	7/12/00	60 19.4	174 43.2	54	329	1725	5750	7803	2546	1314	3861	11664
Q27	7/12/00	60 10.2	174 21.1	53	87	2770	9435	12292	6492	433	6925	19217
Q28	7/11/00	60 19.8	175 23.3	59	3194	13068	7405	23668	8131	1888	10019	33686
Q29	7/10/00	60 20.0	176 2.8	65	1568	1490	1255	4313	2901	2039	4940	9253

Table 10. Summary of crab density by tow (# per square nmi) for Snow Crab, *Chionoecetes opilio*.

Station	Date	N. Lat.	W. Long	Fathoms	Males				Females			GRAND TOTAL
					Large	Medium	Small	Total	Large	Small	Total	
Q30	7/8/00	60 19.9	176 43.3	73	15891	24021	9239	49150	136783	57779	194562	243712
Q31	7/8/00	60 19.8	177 23.1	78	1750	1193	80	3022	239	477	716	3738
R22	7/5/00	60 39.8	171 26.2	33	0	0	11533	11533	18694	4411	23106	34639
R23	7/5/00	60 39.8	172 6.3	32	164	493	82593	83251	17752	74295	92047	175297
R24	7/5/00	60 40.1	172 47.1	22	0	0	1719	1719	313	78	391	2110
R25	7/5/00	60 40.4	173 26.4	33	0	0	93769	93769	39070	34382	73452	167221
R26	7/12/00	60 40.4	174 8.1	45	270	2695	206161	209126	137932	71725	209657	418784
R27	7/12/00	60 40.0	174 49.6	51	82	1896	14262	16241	20641	3105	23746	39986
R28	7/11/00	60 40.3	175 27.3	56	1635	5996	3115	10747	1480	2959	4439	15186
R29	7/10/00	60 40.3	176 12.4	62	986	1561	411	2957	246	82	329	3286
R30	7/8/00	60 40.5	176 48.3	68	3183	8942	3940	16065	3334	1667	5001	21066
R31	7/8/00	60 40.0	177 29.4	78	875	2386	636	3897	398	159	557	4453
R32	7/8/00	60 39.5	178 11.2	85	784	549	706	2039	392	784	1176	3215
S22	7/5/00	61 0.0	171 30.7	31	0	0	43185	43185	60459	15547	76006	119190
S23	7/6/00	60 60.0	172 10.6	33	0	407	48803	49209	36602	3254	39855	89065
S24	7/6/00	60 60.0	172 49.8	35	0	560	37257	37817	10365	11485	21850	59667
S25	7/6/00	61 0.1	173 28.6	39	0	0	33576	33576	10728	12337	23066	56641
S26	7/6/00	61 0.1	174 11.1	43	0	2718	80487	83205	29833	21697	51530	134734
S27	7/12/00	61 0.3	174 53.3	48	0	1463	45638	47101	29929	15480	45409	92510
S28	7/10/00	61 0.1	175 33.3	54	163	1223	6605	7991	571	408	979	8970
S29	7/10/00	61 0.6	176 17.2	59	1376	5343	14896	21615	2105	891	2995	24611
S30	7/7/00	61 0.3	176 58.3	64	2046	4092	4665	10803	982	327	1309	12112
S31	7/7/00	60 59.8	177 38.0	71	4028	8676	1394	14099	1060	326	1386	15485
T25	7/6/00	61 20.5	173 35.8	39	0	948	63063	64011	21811	17544	39355	103366
T26	7/6/00	61 20.0	174 20.0	41	0	239	24262	24501	10089	11531	21620	46121
T27	7/11/00	61 19.6	175 1.6	46	0	700	31318	32018	6693	5238	11931	43950
T28	7/10/00	61 20.4	175 40.3	51	0	706	17958	18663	21881	8931	30811	49475
T29	7/7/00	61 20.3	176 18.1	56	234	2804	12772	15809	7009	2258	9267	25076
T30	7/7/00	61 20.1	176 58.1	61	643	2492	9806	12941	4260	563	4823	17764
U25	7/6/00	61 40.5	173 39.6	37	0	0	62520	62520	20548	21423	41971	104491
U26	7/6/00	61 40.0	174 26.0	40	0	0	151672	151672	3333	121671	125004	276676
U27	7/11/00	61 40.4	175 5.5	45	0	393	10230	10623	3935	4958	8892	19516
U28	7/7/00	61 39.8	175 48.3	50	81	894	44511	45486	20356	29102	49458	94944

Table 10. Summary of crab density by tow (# per square nmi) for Snow Crab, *Chionoecetes opilio*.

Station	Date	N. Lat.	W. Long	Fathoms	Males				Females			GRAND TOTAL
					Large	Medium	Small	Total	Large	Small	Total	
U29	7/7/00	61 39.8	176 28.3	55	238	1901	26142	28281	12018	3472	15490	43771
V25	7/6/00	61 59.8	173 44.9	32	0	0	66452	66452	20795	25315	46110	112562
V26	7/6/00	62 0.0	174 30.0	38	0	0	82852	82852	3824	65007	68831	151682
V27	7/7/00	61 59.4	175 10.1	42	0	0	54388	54388	3307	29766	33074	87461
V28	7/7/00	61 59.7	175 50.2	51	0	333	67316	67650	16008	91245	107253	174903

NOTE: Minimum carapace sizes used are: Large Males > 4.0 in; Medium Males = 3.1 to 4.0 in; Large Females > 2.0 in.

Table 11. Summary of crab density by tow (# per square nmi) for Hair Crab, *Erimacrus isenbeckii*.

Station	Date	N. Lat.	W. Long	Fathoms	Males				Females			GRAND TOTAL
					Large	Medium	Small	Total	Large	Small	Total	
D09	7/23/00	55 58.9	162 49.4	41	81	0	0	81	0	0	0	81
D09	5/28/00	56 0.0	162 50.3	41	0	0	0	0	81	0	81	81
D10	7/22/00	55 58.9	162 14.2	34	80	80	0	160	0	0	0	160
E10	7/22/00	56 18.4	162 12.3	39	236	0	0	236	79	0	79	315
E10	5/28/00	56 20.2	162 11.8	42	310	0	0	310	0	0	0	310
E11	5/28/00	56 20.6	161 37.8	33	82	0	0	82	82	0	82	164
E11	7/21/00	56 20.0	161 37.2	33	0	0	0	0	82	0	82	82
F12	7/21/00	56 39.9	160 58.2	37	81	0	0	81	81	0	81	162
F12	5/25/00	56 40.4	160 59.4	34	411	0	0	411	164	0	164	575
F13	5/25/00	56 40.8	160 22.6	32	81	0	0	81	81	0	81	162
F13	7/21/00	56 40.2	160 22.4	31	161	0	0	161	81	0	81	242
F20	6/23/00	56 41.0	169 29.9	42	80	0	0	80	0	0	0	80
F22	6/29/00	56 49.9	170 27.9	53	82	0	0	82	0	0	0	82
G10	7/19/00	57 1.0	162 10.1	31	511	0	0	511	85	0	85	597
G12	7/21/00	56 58.7	160 57.0	36	317	0	0	317	158	0	158	475
G12	5/25/00	57 0.2	160 57.3	32	569	0	0	569	0	0	0	569
G13	5/25/00	56 59.6	160 20.5	32	160	0	0	160	80	0	80	239
G13	7/21/00	57 0.2	160 20.2	33	241	0	0	241	80	0	80	322
G14	5/24/00	56 59.6	159 43.7	29	0	0	0	0	78	0	78	78
G18	6/22/00	57 0.1	168 20.2	42	0	0	0	0	89	0	89	89
G19	6/23/00	57 9.6	168 37.8	40	0	0	78	78	0	78	78	156
G20	6/23/00	56 59.9	169 32.9	31	479	0	0	479	0	0	0	479
G21	6/28/00	57 9.8	169 52.6	26	120	0	0	120	0	0	0	120
G21	6/28/00	56 59.7	170 10.4	37	82	0	0	82	82	0	82	165
G21	6/29/00	56 50.1	169 52.7	38	569	81	0	650	325	81	406	1056
H01	6/19/00	57 19.5	167 44.3	38	77	0	0	77	0	0	0	77
H02	6/16/00	57 20.0	167 7.4	36	80	0	0	80	0	0	0	80
H09	6/1/00	57 21.1	162 46.6	23	81	0	0	81	0	0	0	81
H10	5/27/00	57 20.3	162 8.8	27	82	0	0	82	0	0	0	82
H11	7/19/00	57 20.2	161 32.1	29	80	0	0	80	0	0	0	80
H12	7/19/00	57 20.3	160 55.8	32	1206	0	0	1206	402	0	402	1608
H12	5/25/00	57 19.9	160 55.6	33	638	0	0	638	239	0	239	878
H13	5/25/00	57 20.2	160 17.8	32	81	0	0	81	0	0	0	81

Table 11. Summary of crab density by tow (# per square nmi) for Hair Crab, *Erimacrus isenbeckii*.

Station	Date	N. Lat.	W. Long	Fathoms	Males				Females			GRAND TOTAL
					Large	Medium	Small	Total	Large	Small	Total	
H13	7/19/00	57 20.4	160 18.0	31	83	0	0	83	83	0	83	166
H19	6/23/00	57 19.7	168 59.1	38	2492	76	0	2568	604	0	604	3172
H19	6/24/00	57 29.5	168 44.7	38	0	0	0	0	77	0	77	77
H20	6/23/00	57 20.3	169 36.0	33	160	0	0	160	80	0	80	239
H21	6/28/00	57 20.5	170 11.9	28	77	0	0	77	0	0	0	77
H22	6/28/00	57 30.0	170 35.0	38	78	0	0	78	78	0	78	157
I06	6/13/00	57 40.3	164 36.7	27	244	0	0	244	0	0	0	244
I12	5/25/00	57 39.5	160 52.4	29	125	0	0	125	0	0	0	125
I19	6/24/00	57 49.7	168 43.9	38	0	0	0	0	79	0	79	79
I20	6/24/00	57 30.1	169 22.0	38	395	0	0	395	158	0	158	553
I20	6/24/00	57 40.1	169 39.1	37	82	0	0	82	82	0	82	163
I21	6/28/00	57 49.9	169 57.8	38	77	0	0	77	0	0	0	77
I21	6/28/00	57 40.3	170 15.5	38	77	0	0	77	0	0	0	77
J04	6/14/00	57 59.9	165 54.1	28	78	0	0	78	78	0	78	156
J11	5/27/00	57 59.9	161 29.1	28	82	0	0	82	0	0	0	82
J20	6/24/00	57 50.3	169 22.1	34	80	0	0	80	0	0	0	80
J22	6/28/00	57 50.0	170 37.0	40	0	159	0	159	0	0	0	159
K01	6/19/00	58 19.6	167 50.4	31	80	0	0	80	0	0	0	80
K02	6/17/00	58 19.9	167 10.9	27	237	0	0	237	79	0	79	316
K03	6/17/00	58 20.3	166 32.9	24	79	0	0	79	0	0	0	79
K04	6/14/00	58 19.9	165 55.4	22	78	0	0	78	0	0	0	78
K18	6/19/00	58 20.0	168 28.1	34	78	0	0	78	0	0	0	78
L01	6/19/00	58 40.0	167 52.1	24	80	0	0	80	80	0	80	161
L02	6/17/00	58 39.8	167 13.1	22	238	0	0	238	0	0	0	238
L03	6/17/00	58 41.0	166 34.3	21	0	80	0	80	0	0	0	80
L04	6/14/00	58 39.9	165 56.7	18	78	0	0	78	0	0	0	78
L18	6/19/00	58 39.6	168 29.9	27	166	0	0	166	581	0	581	747
M01	6/18/00	58 59.6	167 53.7	21	79	0	0	79	0	0	0	79
M02	6/17/00	59 0.2	167 14.5	20	78	0	0	78	0	0	0	78
M18	6/18/00	58 59.8	168 32.2	24	1342	158	0	1500	79	79	158	1658
M19	6/25/00	58 59.3	169 10.4	28	161	0	0	161	0	0	0	161
N18	6/18/00	59 19.8	168 34.1	21	471	78	0	549	157	235	392	941
N19	6/25/00	59 19.4	169 14.2	26	248	83	0	331	0	0	0	331

Table 11. Summary of crab density by tow (# per square nmi) for Hair Crab, *Erimacrus isenbeckii*.

Station	Date	N. Lat.	W. Long	Fathoms	Males				Females			GRAND TOTAL
					Large	Medium	Small	Total	Large	Small	Total	
N20	6/25/00	59 20.2	169 52.2	32	160	0	0	160	0	0	0	160
O01	6/18/00	59 39.2	167 56.9	18	80	0	0	80	0	0	0	80
O18	6/18/00	59 39.9	168 37.0	20	309	387	0	696	77	0	77	773
O19	6/25/00	59 39.7	169 16.3	25	155	78	0	233	0	0	0	233
O20	6/25/00	59 40.3	169 55.1	29	78	0	0	78	0	0	0	78
P18	6/18/00	60 0.3	168 39.1	19	78	0	0	78	0	0	0	78
P19	6/25/00	59 59.6	169 18.8	24	156	78	0	234	0	0	0	234
P24	7/5/00	60 10.0	172 20.5	30	0	76	0	76	0	0	0	76
Q18	6/18/00	60 20.0	168 41.2	18	79	0	0	79	0	0	0	79
Q20	6/25/00	60 20.2	170 1.9	27	0	82	0	82	0	0	0	82

NOTE: Minimum carapace sizes used are: Large Males > 3.25 in; Medium Males = 2.0 to 3.25 in; Large Females > 2.6 in.